

GENERAL NOTE:
 1. PROVIDE ICE AND WATER SHIELD AT ALL EAVES TO MINIMUM 24" BEYOND LINE OF INSIDE FACE OF WALL AND 36" AT VALLEYS (TYPICAL) AS SHOWN ON ROOF PLAN SHEET A-120.



Sidock Group
 ARCHITECTS • ENGINEERS • CONSULTANTS

Corporate Headquarters
 45650 Grand River Ave.
 Novi, Michigan 48374
 Ph: (248)349-4500 • Fax: (248)349-1429

Novi • Wyandotte • Muskegon
 Lansing • Gaylord • Sault Ste. Marie
 Williamsport, PA • Tampa, FL
 www.sidockgroup.com

Client:
Brownstown Township

Project:
Brownstown Community Center Renovation & Addition

21311 Telegraph Rd.
 Brownstown, MI

Seal:

Date	Issued For
08/09/2025	DESIGN DEVELOPMENT
11/05/2024	PROGRESS SET
12/09/2024	90% OWNER REVIEW
12/20/2024	100% CD
01/07/2025	IFC
01/21/2025	ADDENDUM 2


Drawn: AM/KN/NC
 Checked: KN
 Approved: MR

Sheet Title:
WALL SECTIONS


Project Number: **24361.A**

Sheet Number: **A-702**


THIS MATERIAL IS THE EXCLUSIVE PROPERTY OF SIDOCK GROUP, INC. AND CANNOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF SIDOCK GROUP, INC. © 2025



3 WALL SECTIONS
 SCALE: 3/4"=1'-0"



2 WALL SECTIONS
 SCALE: 3/4"=1'-0"



1 WALL SECTIONS
 SCALE: 3/4"=1'-0"